

From: Crumlish, Karen [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=45E3E1D7C4534F10B2F31D660567E92C-KCRUMLIS]
Sent: 7/1/2021 9:58:17 PM
To: Rogers, Rick [rogers.rick@epa.gov]
Subject: RE: DIANA/PAUL - HOT ISSUE - Lead - Clarksburg, WV

<<<<<<<<<<<<<<>>>>>>>>>>>>>>>>

From: Rogers, Rick <rogers.rick@epa.gov>
Sent: Thursday, July 01, 2021 5:56 PM
To: Rodrigues, Cecil <rodrigues.cecil@epa.gov>
Cc: Libertz, Catherine <Libertz.Catherine@epa.gov>; Armstrong, Joan <Armstrong.Joan@epa.gov>; Crumlish, Karen <Crumlish.Karen@epa.gov>; Melvin, Karen <Melvin.Karen@epa.gov>; Mastro, Donna <Mastro.Donna@epa.gov>; Rivera, Nina <Rivera.Nina@epa.gov>
Subject: Re: DIANA/PAUL - HOT ISSUE - Lead - Clarksburg, WV

Ex. 5 Deliberative Process (DP)

ED 006008A 00000339-00001

Cathy

Catherine A. Libertz, Director
Water Division
USEPA Region III
1650 Arch Street 3WD00
Philadelphia, PA 19103
215-814-2737

From: Armstrong, Joan <Armstrong.Joan@epa.gov>
Sent: Thursday, July 01, 2021 4:30 PM
To: Crumlish, Karen <Crumlish.Karen@epa.gov>; Libertz, Catherine <Libertz.Catherine@epa.gov>; Rogers, Rick <rogers.rick@epa.gov>
Cc: Melvin, Karen <Melvin.Karen@epa.gov>; Mastro, Donna <Mastro.Donna@epa.gov>; Rodrigues, Cecil <rodrigues.cecil@epa.gov>
Subject: RE: DIANA/PAUL - HOT ISSUE - Lead - Clarksburg, WV

Thanks Karrie.

Cathy, I'm going to email this to Larry Starfield in the next few minutes.

Joan

Joan Armstrong, Deputy Director
Enforcement & Compliance Assurance Division (3ED00)
U.S. EPA – Region 3
1650 Arch Street
Philadelphia, PA 19103
215-814-3155
armstrong.joan@epa.gov

From: Crumlish, Karen <Crumlish.Karen@epa.gov>
Sent: Thursday, July 01, 2021 4:25 PM
To: Libertz, Catherine <Libertz.Catherine@epa.gov>; Armstrong, Joan <Armstrong.Joan@epa.gov>; Rogers, Rick <rogers.rick@epa.gov>
Cc: Melvin, Karen <Melvin.Karen@epa.gov>
Subject: RE: DIANA/PAUL - HOT ISSUE - Lead - Clarksburg, WV

Hi all,

Here's a revised issue paper; please let us know if you have any questions.

Thank you,
Karrie

From: Armstrong, Joan <Armstrong.Joan@epa.gov>
Sent: Thursday, July 01, 2021 12:01 PM
To: Libertz, Catherine <Libertz.Catherine@epa.gov>; Rogers, Rick <rogers.rick@epa.gov>
Cc: Melvin, Karen <Melvin.Karen@epa.gov>
Subject: RE: DIANA/PAUL - HOT ISSUE - Lead - Clarksburg, WV

Hi Cathy and Rick,

Donna Mastro called – Cecil wants me to send to Larry Starfield the briefing paper. I am thinking of waiting until after your 2 p.m. meeting with WV for further updates. Will someone update the briefing paper after the meeting?

Thanks,
Joan

Joan Armstrong, Deputy Director
Enforcement & Compliance Assurance Division (3ED00)
U.S. EPA – Region 3
1650 Arch Street
Philadelphia, PA 19103
215-814-3155
armstrong.joan@epa.gov

From: Libertz, Catherine <Libertz.Catherine@epa.gov>
Sent: Thursday, July 01, 2021 10:07 AM
To: Rodrigues, Cecil <rodrigues.cecil@epa.gov>; Mastro, Donna <Mastro.Donna@epa.gov>; Gardner, Allison <Gardner.Allison@epa.gov>; Rivera, Nina <Rivera.Nina@epa.gov>; Armstrong, Joan <Armstrong.Joan@epa.gov>
Subject: RE: DIANA/PAUL - HOT ISSUE - Lead - Clarksburg, WV

Will do! We should have an update this afternoon after the call with WV.

From: Rodrigues, Cecil <rodrigues.cecil@epa.gov>
Sent: Thursday, July 01, 2021 10:03 AM
To: Mastro, Donna <Mastro.Donna@epa.gov>; Gardner, Allison <Gardner.Allison@epa.gov>; Rivera, Nina <Rivera.Nina@epa.gov>; Libertz, Catherine <Libertz.Catherine@epa.gov>; Armstrong, Joan <Armstrong.Joan@epa.gov>
Subject: FW: DIANA/PAUL - HOT ISSUE - Lead - Clarksburg, WV
Importance: High

Cathy and Joan please keep us in the loop on this issue we are here to support you. If there is a briefing with Diana please include us. In addition, please let us know when you notify HQ. I will need to inform OGC and OECA.

Thanks. Cecil.
Cecil Rodrigues (he/his/him)
Regional Counsel (3RC00)
EPA Region III

1650 Arch Street
Philadelphia, PA 19103
215.814.2683
cell: 215.266.2960
rodrigues.cecil@epa.gov

From: Libertz, Catherine <Libertz.Catherine@epa.gov>
Sent: Thursday, July 01, 2021 9:31 AM
To: Esher, Diana <Esher.Diana@epa.gov>; Leonard, Paul <leonard.paul@epa.gov>
Cc: Melvin, Karen <Melvin.Karen@epa.gov>; Rodrigues, Cecil <rodrigues.cecil@epa.gov>; Aunkst, Dana <aunkst.dana@epa.gov>; Armstrong, Joan <Armstrong.Joan@epa.gov>; Gillespie-Marthaler, Leslie <GillespieMarthaler.Leslie@epa.gov>; Crumlish, Karen <Crumlish.Karen@epa.gov>; Nitsch, Chad <Nitsch.Chad@epa.gov>; Ferrell, Mark <Ferrell.Mark@epa.gov>
Subject: DIANA/PAUL - HOT ISSUE - Lead - Clarksburg, WV
Importance: High

Hi, folks,

Yesterday we (ECAD and WD) learned about the potential lead in drinking water issue in Clarksburg, WV. Both WV DHHR and we are learning more information by the minute and will keep you updated.

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Attached is a paper that ECAD put together in coordination with WD. I will be calling Walt Ivey this morning to discuss separately and then join Rick Rogers, Karrie Crumlish, Walt Ivey and others from EPA and WVDHHR to get the latest and discuss the game plan for moving forward. We will make sure our counterparts in HQ are aware of what is unfolding (may wait until after we learn more at 2PM).

Ex. 5 Deliberative Process (DP)

Cathy

Catherine A. Libertz, Director
Water Division
USEPA Region III
1650 Arch Street 3WD00
Philadelphia, PA 19103
215-814-2737